

METHOXY PROPANOL

(1-Propyleneglycol-2-methylether)

Description:

CAS No.	: 1589-47-5	
Mol. Wt	: 90.14	
Refractive Index	: 1.397	
Flash Point	: 35 C	
Initial Boiling Point	: 130 degree C at 760 mmHg	
Dry Point	: 193 degree C	

Applications:

Solvent for coating and plastics. It has very good solubility with resin and other solvent (thinner)

Specification:

Specification	Spec.	Result
Appearance		Colorless liquid
Purity (total MP isomers)	Min. 99.9	99.9
Color, APHA	Max 15	5% "Max."
Water, ppm	Max 1000	100 "Max."
Acidity, ppm	Max 100	1% "Max."
Sp.Gr, g/cm3	0.935 ~ 0.945	0.9363
IBP. DegC	Min 130.0	131.5
DP, DegC	Max 193	170.2

Packing:

Net 190 Kgs/drum

DISCLAIMER:

The information contained in this datasheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about the product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

11th Floor, 1 Lake Plaza, Jumeirah Lake Towers, P.O. Box: 47381, Dubai UAE | Tel: +971 4 4356517, +971 4 4356516 | Fax: +971 4 4356518, Email: info@rarresin.com W W W. R A R R E S I N. C O M