MATERIAL SAFETY DATA SHEET



PIGMENT BLUE 15:3

1 IDENTIFICATION OF THE PRODUCT AND THE COMPANY

1.1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION: Pigment Blue 15:3 Trade Name: PIGMENT BLUE 15:3 (I-33)

1.2 USE OF THE SUBSTANCE OR PREPARATION

Pigment Blue 15:3 is a pigment product. It is use to prepare air drying enamel paint , plastic, rubber, dry dispersions, water base dispersion, flexo graphic inks and many other applications.

1.3 IDENTIFICATION OF THE COMPANY:

RAR Resin & Chemical Industries JLT11th Floor, Jumeirah Lake Towers, P.O. Box: 47381, Dubai UAETel: +971 4 4356517 / +971 4 4356516Email: info@rarresin.comFax: +971 4 4356518Website: www.rarresin.com

2 CHEMICAL COMPOSITION OF PIGMENT BLUE 15:3

Colour Index Name:	Pigment Blue 15:3
Colour Index Number:	74160
CAS No:	147-14-8

3 HAZARD INDENTIFICATION

- No hazardous effects known.
- The product is not a substance subject to mandatory marking in accordance with EEC Directive 67/548/EEC or amendments.

4 FIRST AID MEASURES

After inhalation:	Supply fresh air
After eye contact:	Flush with plenty of water for 15 mins, occasionally raising eyelids.
After skin contact:	Wash skin with mild soap and water

5 FIRE-FIGHTING MEASURES

Suitable extinguishing media: Special hazards caused by the material, its	No restriction
Combustion products or resultants gases:	None
Special personal protective Equipment:	None
6 ACCIDENTAL RELEASE MEASURES	
Environmental protection conduct:	Do not sweep or wash in public stretches of water, sewers or suites of unknown discharge.
After spillage / leakage:	Clean up immediately with wetting or absorbent material avoiding dusting.

DISCLAIMER

This information contained in the data sheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about this product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

11th Floor, 1 Lake Plaza, Jumeirah Lake Towers, P.O. Box: 47381, Dubai UAE | Tel: +971 4 4356517, +971 4 4356516 | Fax: +971 4 4356518, Email: info@rarresin.com

7 HANDLING AND STORAGE Handling: Protection against:	Keep a	Usual precautions for nuisance dust should be observed. Keep away from sources of ignition-No smoking. Risk of dust explosion.					
Fire & explosion Storage: Flammability:	Store in roofed places at room temperature. Keep tightly sealed. Not applicable.						
8 EXPOSURE CONTROLS / PERSONAL PROTECTION Additional notes for design of plant equipmer Components with workplace related limits to		ent: N		No further details See section 7			
Designation %	Туре с	of Data		Unit			
Nuisance dust 100			6 10	mg/m ³ mg/m ³			
Personal Protection Equipment Respiratory protection: An appropriate dust filter has to be used should a breathable dust occur.							
9 PHYSICAL AND CHEMICAL PROPERTIES							
Form:	Powde	er					
Colour: Odour:	Blue Odour						
Change in physical state:	Value			Unit	Method		
Thermal Decomposition:	> 400			°C			
Auto ignition Temperature:	n.a.			°C			
Flammable properties:	The product is not flammable						
Explosion risks:	Risk of formation of explosive pigment dust / air mixture						
Explosion Limits							
Lower:	n.a.						
Upper:	n.a.	n.a.					
Vapour pressure:	n.a.	0.05 (0		mbar			
Density: Part 10	0.25 to	0.35 (2	0°C)	g/cm³	DIN/ISO 787 Part 10		
Soluble in water:	Insolut	ole (20°0	2)	g/l	DIN/ISO 787 Part 8		
Part 8	moora	010 (20 0	5)	9/1			
pH Value: Part 9	5 - 8.5 (20°C)			DIN/ISO 787 Part 9			
10 STABILITY AND REACTIVITY Hazardous decomposition:	No decomposition if used and stored according to specification.						
11 TOXICOLOGICAL INFORMATION The product is non-toxic. LD50/LC50 values relevant for classification: LD50 oral/rat> 5000mg / kg							
Primary irritation Skin:	Non irritant (rabbit)						
Eye:		Non irritant (rabbit) Non irritant (rabbit)					
12 ECOLOGYCAL INFORMATION AQUATIC TOXICITY: This product is to aquatic orga			water therefore unlikely to be harmful				
PERSISTANCE AND BIODEGRADABILITY: Not		Non Av	Non Available Not Available				
DISCLAIMER							

DISCLAIMER

This information contained in the data sheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about this product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

13 DISPOSAL CONSIDERATION

PRODUCT: Disperse in accordance with federal, state and local regulation. Waste code: 55514 (Germany) Check re-use as alternative.

Contaminated packages and containers emptied but contaminated packages and containers may be recycled.

14 TRANSPORT INFORMATION

No declaration for transport required.

15 REGULATORY INFORMATION

HAZARDOUS SUBSTANCE(S) IN THE PRODUCT

HAZARDOUS SYMBOL(S) OTHER REGULATORY

- Not subject to labeling - The product is not a substance subject to mandatory marking in accordance with EEC Directive 67/548/EEC or amendments.

16 OTHER INFORMATION

The information contained herein is based on the present state of our knowledge, but without liability.

Department issuing this data sheet: QA department