## **MATERIAL SAFETY DATA SHEET**



# LEMON CHROME

#### **1 IDENTIFICATION OF THE PRODUCT AND THE COMPANY**

### 1.1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION: Pigment Yellow 34

Trade Name: LEMON CHROME

#### **1.2 USE OF THE SUBSTANCE OR PREPARATION**

Lemon Chrome is a pigment product. It is use to prepare air drying enamel paint, plastic, dry dispersions, water base dispersion, flexo graphic inks and many other applications.

#### **1.3 IDENTIFICATION OF THE COMPANY:**

RAR Resin & Chemical Industries JLT11th Floor, Jumeirah Lake Towers, P.O. Box: 47381, Dubai UAETel: +971 4 4356516 / +971 4 4356517Email: info@rarresin.comFax: +971 4 4356518Website: www.rarresin.com

#### 2 CHEMICAL COMPOSITION OF PIGMENT YELLOW 34

Colour Index Name:	Pigment Yellow 34
Colour Index Number:	77603
CAS No:	1344-37-2
EINECS:	215-693-7
Chemical Formula:	Pb(Cr, S)O <sub>4</sub>

#### **3 HAZARD INDENTIFICATION**

- No hazardous effects known.
- The product is not a substance subject to mandatory marking in accordance with EEC Directive 67/548/EEC or amendments.

#### **4 FIRST AID MEASURES**

After inhalation:	Supply fresh air
After eye contact:	Flush with plenty of water for 15 mins, occasionally raising eyelids.
After skin contact:	Wash skin with mild soap and water

#### **5 FIRE-FIGHTING MEASURES**

Suitable extinguishing media:	No restriction			
Special hazards caused by the material, its				
Combustion products or resultants gases:	None			
Special personal protective Equipment:	None			
ACCIDENTAL RELEASE MEASURES				
Environmental protection conduct:	Do not sweep or wash in public stretches of water, sewers or suites of unknown discharge.			
After spillage / leakage:	Clean up immediately with wetting or absorbent			

DISCLAIMER

6

This information contained in the data sheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about this product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

7 HANDLING AND STORAGE Handling: Protection against: Fire & explosion Storage:	Usual precautions for nuisance dust should be observed. Keep away from sources of ignition-No smoking. Risk of dust explosion. Store in roofed places at room temperature. Keep tightly sealed.						
Flammability:	Not applicable.						
8 EXPOSURE CONTROLS / PERSONAL PROTECTION Additional notes for design of plant equipment: Components with workplace related limits to be monit Designation % Type of Data		e monito of Data		No further details See section 7 Unit			
Nuisance dust 100	MAK		6	mg/m³			
TLV / TWA 10 mg/m <sup>3</sup> Personal Protection Equipment Respiratory protection: An appropriate dust filter has to be used should a breathable dust occur.							
9 PHYSICAL AND CHEMICAL PROPERTIES							
Form: Colour:	Powde Yellow						
Odour: Change in physical state:	Odour Value			Unit	Method		
Thermal Decomposition:	> 800			°C			
Auto ignition Temperature:	n.a.			°Č			
Flammable properties:	The p	The product is not flammable					
Explosion risks:	Risk of formation of explosive pigment dust / air mixture						
Explosion Limits							
Lower:	n.a.						
Upper:		n.a.		mbor			
Vapour pressure: Density:		n.a. 0.35 to 0.45 (20°C)		mbar g/cm³	DIN/ISO 787		
Part 10	0.00 1	5 0.45 (2	20 0)	g/cm			
Soluble in water:	Insolu	ble (20°	C)	g/l	DIN/ISO 787		
Part 8 pH Value: Part 9	5 - 8 (2	5 - 8 (20°C)			DIN/ISO 787		
10 STABILITY AND REACTIVITY Hazardous decomposition:	No decomposition if used and stored according to specification.						
11 TOXICOLOGICAL INFORMATION The product is non-toxic. LD50/LC50 values relevant for classification: LD50 oral/rat> 5000mg / kg Primary irritation							
Skin:		Non irritant (rabbit)					
Eye:		Non irritant (rabbit)					
12 ECOLOGYCAL INFORMATION AQUATIC TOXYCITY:			product is		water therefore unlikely to be harmful		
PERSISTANCE AND BIODEGRADABILITY: EFFECT ON EFFLUENT TREATMENT:		Non A	Non Available Not Available				
DISCLAIMER							

DISCLAIMER This information contained in the data sheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about this product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

#### **13 DISPOSAL CONSIDERATION**

 PRODUCT:
 Disperse in accordance with federal , state and local regulation.

 Waste code:
 55514 (Germany)

 Check re-use as alternative.
 55514 (Germany)

#### Contaminated packages and containers emptied but contaminated packages and containers may be recycled.

#### **14 TRANSPORT INFORMATION**

No declaration for transport required.

#### **15 REGULATORY INFORMATION**

HAZARDOUS SUBSTANCE(S) IN THE PRODUCT

HAZARDOUS SYMBOL(S) OTHER REGULATORY Not subject to labeling
The product is not a substance subject to mandatory marking in accordance with EEC Directive 67/548/EEC or amendments.

#### **16 OTHER INFORMATION**

The information contained herein is based on the present state of our knowledge, but without liability.

Department issuing this data sheet: QA department