

ISOPROPYL ACETATE

Test Description	Specification		Unit of	Test Method
	Limits		Measure	
	Min	Max		
Isopropyl Acetate	99.6		%(w/w)	Gas
				Chromatography
Isobutyl Alcohol		0.2	%(w/w)	Gas
				Chromatography
Water		0.05	%(w/w)	
Acidity (as Acetic acid)		0.005	%(w/w)	
Colour (PCS)		5		
Specific Gravity 20/20°C	0.872	0.875		
Non Volatile Matter		0.005	g/100ml	
Appearance		Clear Clean Liquid		
Refractive Index at 20°C	1.376	1.379		
Distillation range at 760 mm Hg	I			
Boiling Point	85		°C	
Dry Point		91	°C	

DISCLAIMER: The information contained in this datasheet is to the best of our knowledge correct and up to date. Under well-defined conditions. Its accuracy or suitability under the actual conditions of any independent use is not guaranteed and must be determined by the user. All advice given about the product is given in good faith. Since as we have no control over conditions of substrate, manufacturer and seller cannot accept cannot accept any liability in connection with the use of the product relative to coverage, performance, injury, or damage, unless we specify in writing to do so. The information in this data sheet is subject to change without prior notice and it is the user responsibility to ensure it is current. For further information and advice please contact RAR RESIN Technical Service Department.

11th Floor, 1 Lake Plaza, Jumeirah Lake Towers, P.O. Box: 47381, Dubai UAE | Tel: +971 4 4356517, +971 4 4356516 | Fax: +971 4 4356518, Email: info@rarresin.com WWW.RARRESIN.COM